

3G/4G/LTE ANTENNA SOLUTIONS



Maxtena offers a wide selection of antennas across a broad range of 3G, 4G LTE frequencies between 690-960 MHz, 1710-2170 MHz and 2500-2700 MHz. It enhances connectivity for multiple devices in nearly any location. Our patented antennas are purpose-built to provide compact, high gain, and a constant worldwide connectivity for all cellular and 4G LTE standards and are router agnostic.

The antennas are available in several different sizes depending on customer requirements. We produce both external antennas that come in a range of rugged housings, as well as embedded antennas. These antennas can be customized with different cable lengths and connectors upon request. We have developed countless high-performance antennas, and they are currently being used in multiple IoT devices (Wearables, Routers, Smart Home, UAV/Drone, and Connected Vehicles).






ME-A-UWB-01-AM
Low Profile LTE Antenna

2G/3G/4G Ultra-Wideband Automotive Antenna / Small size: 105.1mm x 30.1mm x 6.7mm / Foam Adhesive/SMA Connector/1m cable length RG-174



ME-A-1700-LTE
High Performance LTE Antenna

G/4G/LTE modems / Dipole antenna/ Screw Mount /N-Type Connector/ Small size: 20 mm (diameter) x 215 mm (height)



ME-A-GNSS-LTE-MM
Active Multi-Frequency Antenna – External

GNSS & LTE frequency bands / Magnet Mount / SMA connector / 51.4 x (h) 11.7 mm / Comes with High Grade 3M Double Sided/1m cable length RG-174



ME-A-4-GGC
GPS/GLONASS & 2G 3G

GSM/GPRS/CDMA/PCS/DCS/ WCDMA/UMTS/HSPA/GPS/GLONASS / Foam Adhesive or Magnet / SMA connector / 58.15 x 56.2 x 16.8 mm /1m cable length RG-174




ME-A-960-LTE
4G LTE Omni-Directional Antenna

690 - 960 MHz / 1710 - 2700 MHz / Tilt and Swivel Design / SMA Male Connector



ME-A-SW-700-3800
2G/3G/4G/ISM/WIFI GNSS Antenna

2G/3G/4G/ISM/Wi-Fi & GNSS frequency bands / Screw Mount / N Type connector / Compact Size: Ø 41 x 84 mm



ME-A-GNSS-LTE
Active Multi-Frequency Antenna – External Adhesive Mount

GNSS & LTE frequency bands / Adhesive Mount / SMA connector / 51.4 x (h) 11.7 mm / Comes with High Grade 3M Double Sided/1m cable length RG-174



ME-A-698-2700-AM
Omni-Directional 4G LTE Antenna

Dual-Port Multiband / Omni-Directional 4G LTE Antenna/ SMA Male connector / 101.5 x 77.6 x 15.8 mm/2m cable length



ME-A-UWB-LTE-90
Ultra-Wideband 4G LTE Antenna

690MHz to 960MHz 1710MHz to 2700MHz / Hinged 90° termination with SMA(M) Connector / 163 x 22 x 7 mm



ME-A-2700-LTE
Low Profile LTE Antenna

Cellular/LTE frequencies / Heavy duty applications / N-Female connector / Small size: 22mm (Diameter) x 66mm (Height) /Rated IP66



MIA-HB-698-2700
Ultra-Wideband 4G LTE Antenna

4G LTE 690MHz – 960MHz | 1710MHz – 2700MHz / Flexible embedded antenna / 120mm x 30mm featuring a coax cable and U. FL connector



ME-A-LW2-SM
External Cellular/LTE, ISM and GNSS Antenna – Screw Mount

2in1 antenna: Cellular/LTE and 2.4/5.0GHz ISM /Screw mount/ Low profile: 80 x 74 x 43 mm/SMA Male/2m cable length



ME-A-2700-UWB-SM
High Performance 4G LTE Antenna

Frequency ranges: 698 - 960 MHz and 1710 - 2700 MHz / Screw mount/ Low profile: Ø 48 x 82 mm/N-connector / Rated IP67/ 3m cable length RG58U



ME-A-698-3800-SM
Low Profile 5G LTE Antenna

Frequencies 698-3800 MHz / SMA-Male connector / Antenna Dimensions: 59 mm (Diameter) x 71 mm (Height) / PC + ABC housing



ME-A-LG-AM
CELLULAR/LTE and GPS/GLONASS Adhesive Mount

GPS/GLONASS (1575-1606 MHz) and LTE (698-960/ 1710-2170/ 2500-2700 MHz) high performance antenna / SMA-Male connectors Cable / Custom connectors / Ideal for telematics, remote monitoring, fleet management application



ME-A-LTE3MM-SMA
CELLULAR / LTE Magnetic Mount

Dual-port multiband omni-directional LTE antenna / Variety of cellular LTE applications / Custom cable length and connectors / Ideal antenna for IoT installations



ME A-1400-MM
GNSS L1 L5 Antenna – Magnet Mount

GNSS antenna for the GNSS L1 and L5 bands/3 m cable with an integrated SMA, SMB, or MCX connector (customer choice). / Ultra-low-profile design/ Easy mounting/ Customizable cables and connector options/ IP67 rated



ME A-1400-SM
GNSS L1 L5 Antenna – Screw Mount

2-in-1 antenna solution/GPS/GLONASS/Galileo and L1 L5 frequencies/ Screw Mount/ one cable with a SMA-Male standard connector/3m standard cable length/ Customizable connector types, cable lengths and cable types/ Low profile/ IP67 rated



ME A-3L-SMA
Cellular/LTE Antenna – Connector Mount

Cellular/LTE frequencies (698-960 MHz – 1710-2170 MHz)/ Available in two configurations: a straight, and right angle SMA-Male connector



ME A-LGG-AM
Cellular/LTE and GPS/GLONASS Antenna – Adhesive Mount

GPS/GLONASS & LTE solution/GPS/GLONASS (1575-1606 MHz) and LTE (698-960/ 1710-2170/ 2500-2700 MHz)/ Adhesive mount antenna/3 meters LMR100 cable and SMA-Male connectors for both GPS/ GLONASS cables/ Cable and connectors are customizable upon request



ME A-3-GGL
GPS/GLONASS/LTE Antenna & 2G/3G LTE Antenna

GPS/GLONASS & 2G/3G LTE solution/ GPS/GLONASS (1575-1610 MHz) and LTE (2300-2690 MHz)/ An adhesive mount antenna with rugged ABC plastic housing/ 1-meter RG174 cable and SMA/ Cable and connectors are customizable upon request



ME A-LTE-MIMO-ISM-SM
Cellular/LTE MIMO and 915 MHz ISM Screw Mount

High performance antenna Cellular/LTE & 915 MHz ISM frequency coverage / Ground Plane Independent / Low profile: Ø96 x 90 mm



ME A-2700-WIFI
Omni Fiberglass WIFI Antenna

High performance antenna WIFI bands / Omni-directional antenna / Easy mounting: Pole/ Wall mount



ME A-900-L-SM
868/915 MHz ISM/LTE - Screw Mount

High performance 2 in 1 antenna: Cellular/LTE & ISM bands / Easy Mounting / Low profile: 80 x 76 x 13 mm / IP67